SPROCKET

go.

Director's
Message

"Our design philosophy is simply to create elegant products that work for our clients...and by association, their clients".

There are unlimited ways to design but there is always one solution that stands above others without screaming "look at me"...it just works simply and elegantly.

We're pretty confident our range of GO directories has this X factor and to get to this stage requires a huge amount of effort and technical skill. At Sprocket I am fortunate to work with a highly talented and dedicated group of designers, technologists, software gurus and sales creatives who bring our collective ideas to life.

At Sprocket we are not simply here to reproduce what has been done before or to simply import inferior technology because we believe visitors to your buildings deserve the best.

I invite you to explore what we have to offer but if you want something different then we can even do that.

Gerry Mussett
Director, Sprocket

Designed
to perfection

Architect Series A55.FP — 15 William Street for CBRE.

SprocketGO Directories are seen in all the best buildings.

Digital Directories are now a key component part of any new or refurbished building for both their visual impact and the value they add for building owners and tenants.

SprocketGO Digital Directories are Australian designed and manufactured and are simply in a class of their own.

Featuring elegant design and innovative software, these stunning directories embody the very best in contemporary architectural interior design.

The **SprocketGO** system provides architects, designers and specifiers with the ultimate design flexibility and building owners with a truly sophisticated and contemporary entry foyer.

GO Installations

Your imagination, our implementation

More often than not Directory systems need to work with the built environment and the Sprocket design team are experts in working with architects and designers to create a solution that enhances the integrity of the concept.

GO Installations

Your building, your visitors

For building owners and building managers, tenant directories are a critical component of every reception area and foyer. Your tenants and their visitors are the lifeblood of the building and getting them to the right location with the minimum amount of time and effort is paramount.

Choosing the right digital tenant directory however is not so easy and decisions need to be made not only on what looks the best but what is the best value for your investment in this technology.

Sprocket understands that every building is unique both from a physical viewpoint and the dynamic of the tenancies. A cookie cutter approach to directory boards can devalue your investment in the most important space in the building.

Our range of GO directories have been designed to be the most flexible in the market and offer a full range of solutions from stunning architectural products to all purpose tenant screen systems.

GO Installations

Unique does not have to be difficult

No two buildings have the same shape or the same function and sometimes it is just not possible to apply standard directory solutions no matter how desirable.

Sprocket has an enviable reputation of working with clients to achieve the impossible and create the unique. Every product whether it is a hardware or software solution is engineered to perform to our exacting standards from the moment the building opens to the time it closes every day of the year.

Designed to perfection

Whatever the decor or finish SprocketGO can match it.

Sprocket directories are totally designed and manufactured locally and can be customised to match any decor or architectural feature

The Architect Series models are fabricated in powder coated steel and aluminium with stainless steel trims. A key feature of the series is the aluminium outer panels offering a huge range of finishes and colours from bright primary colours to stainless steel and bronze finishes.

The GO software is the most powerful tenant directory solution on the market and can be customised to add logos, corporate branding and images to compliment and enhance the directory's design and the building environment.

Architect Series A50.FP — 312 St Kilda Road for Tong Eng

The floor mounted Architect Series is our flagship product and has been specified by architects for premium buildings Australia wide. Where high visual impact is important this elegant, refined display system is without peer.

It is indeed the perfect solution where high visual impact is desired, in particular in high traffic areas demanding a prominent landmark for visitors.

Available in large format 55" and 65" models, these premium products can be further optioned with a range of material finishes and colours

Series Overview

## S
Series

A
Series

I
Series

M
Series

C
Series

Streamline

Surface or recess smart mount directory screens finished with optional lightweight trim surrounds.

Architect

Elegant & secure freestanding & wall mounted directory systems available in different materials & finish packs.

Integrated

Feature finish or graphic branded directory solution that uses a modular rail mounting system for fast installation.

Multi Screen

Video wall style installation of tiled directory screens with micro screen border.

Custom

Directories designed to order & to match unique interior, material and signage specifications.

A
Series

55.65"

Freestanding

55"   65"

Architect Series Overview

The Sprocket Architect Directory Series embodies the very best in contemporary architectural interior design and the A55 & 65FP freestanding directories are the ultimate in sleek sophistication.

Coupled with Sprocket's GOLive & GOConnect software the FP range provides a highly visible and professional business directory for any building.

All models feature HD commercial grade LED screens with guaranteed 16 or 24/7/365 days operating warranty ensuring your directory will not be left in the dark.

Recommended for

Large entry areas where maximum visual impact is required or where wall mounted is not an option.

Technical Specifications & Options

Build
All steel powdercoated textured black chassis
Natural anodised aluminium side trims
Black anodised aluminium door panel
Internal power system

System
55/65" HD Commercial Grade LED with 16 or 24/7/365 operating warranty
Digital Engine/PC Win 10
LAN, WIFI & 4G connectivity options

Software
Sprocket GOLive or GOConnect

Built to Order options
Custom anodised trim colours [standard range]
Custom door colours [standard anodised range]
Optional toughened glass overlay
Custom GO screen design

Dimensions

| W x H x D mm	A55.FP	755 x 1770 x 155 mm
W x H x D mm	A65.FP	875 x 1990 x 155 mm

Featured: A55.FP & A65.FP with natural anodised screen trim

A

Series

55"

Wall

Architect Series Overview

Designed to compliment the A55.FP portrait floor mounted model, the WP range offers the opportunity for groups of visitors to experience the board at the same time.

Coupled with Sprocket's GOLive & GOConnect Directory software the WP range provides a highly visible and professional business directory for any building.

Featuring the very best commercial grade LED screens with guaranteed 16 or 24/7/365 days operating warranty ensuring your directory will not be left in the dark.

Recommended for

Large entry areas where maximum visual impact is required and for high traffic areas allowing simultaneous users.

55"

55"

Technical Specifications & Options

Build

All steel powdercoated chassis with anodised aluminium side rails

Toughened glass overlay

Aluminium front panels

Discrete service door access

System

55" HD Commercial Grade LED with 16 or 24/7/365 operating warranty

Digital Engine/PC Win 10

LAN, WIFI & 4G connectivity options

Software

Sprocket GOLive or GOConnect

#### Built to Order options

Custom anodised trim colours [standard range]

Custom aluminium colours [standard range]

Optional toughened glass overlay

Custom GO screen design

Dimensions

W x H x D mm	A55.WP	750 x 1390 x 55 mm

S

Series

24-85"

Surface Mount Portrait

43" 55" 75"

Streamline Series Overview

The S Series is positioned as an entry level tenant directory but shares identical advanced technologies as the A Series.

Featuring the very best commercial grade LED screens with guaranteed 16 or 24/7/365 days operating warranty the S Series can be surface mounted or recessed.

Optional features include an easy access pop-out wall mount bracket and aluminium side trims.

Coupled with Sprocket's GOLive & GOConnect software the SWP range provides a highly visible and professional business directory for any building.

Recommended for

Any building requiring a high quality tenant directory at an affordable price.

Technical Specifications & Options

Build

All steel secure wall bracket with integrated PC for easy installation & service access

System

24 - 85" HD Commercial Grade LED with 16 or 24/7/365 operating warranty

Digital Engine/PC Win 10

LAN, WIFI & 4G connectivity options

Sprocket GOLive or GOConnect Software

Built to Order options

Easy-access pop-out wall bracket

Anodised aluminium screen trim

Custom GO screen design

Dimensions

| W x H x D mm	S24.WP	335 x 548 x 32 mm
W x H x D mm	S43.WP	558 x 968 x 48 mm
W x H x D mm	S50.WP	644 x 1121 x 46 mm
W x H x D mm	S55.WP	708 x 1235 x 46 mm
W x H x D mm	S65.WP	831 x 1454 x 47 mm
W x H x D mm	S75.WP	960 x 1681 x 49 mm
W x H x D mm	S85.WP	1081 x 1989 x 57 mm

S
Series

24-85"

Surface Mount Landscape

43" 55" 75"

Streamline Series Overview

The S Series is positioned as an entry level tenant directory but shares identical advanced technologies as the A Series.

Featuring the very best commercial grade LED screens with guaranteed 16 or 24/7/365 days operating warranty the S Series can be surface mounted or recessed.

Optional features include an easy access pop-out wall mount bracket and aluminium side trims.

Coupled with Sprocket's GOLive & GOConnect software the SWL range provides a highly visible and professional business directory for any building.

Recommended for

Any building requiring a high quality tenant directory at an affordable price.

Technical Specifications & Options

Build
All steel secure wall bracket with integrated PC for easy installation & service acces

System
24 - 85" HD Commercial Grade LED with 16 or 24/7/365 operating warranty

Digital Engine/PC Win 10

LAN, WIFI & 4G connectivity options

Sprocket GOLive or GOConnect Software

Built to Order options
Easy-access pop-out wall bracket

Anodised aluminium screen trim

Custom GO screen design

Dimensions

W x H x D mm	S24.WL	335 x 548 x 32 mm
W x H x D mm	S43.WL	558 x 968 x 48 mm
W x H x D mm	S50.WL	644 x 1121 x 46 mm
W x H x D mm	S55.WL	708 x 1235 x 46 mm
W x H x D mm	S65.WL	831 x 1454 x 47 mm
W x H x D mm	S75.WL	960 x 1681 x 49 mm
W x H x D mm	S85.WL	1081 x 1989 x 57 mm

S
Series

43-85"

Recessed Portrait

43" 55" 75"

Streamline Series Overview

Our Recessed Series is built to sit flush within the wall, framed by the architecture around it. Mounted on a custom pop-out bracket for easy access and service, it's clean, cable-free and perfectly integrated into its surroundings.

The SRP range features the very best commercial grade LED screens with guaranteed 16 or 24/7/365 days operating warranty.

Coupled with Sprocket's GOLive & GOConnect software the SRP range provides a highly visible and professional business directory for any building.

Recommended for

Any building requiring a high quality tenant directory at an affordable price.

Technical Specifications & Options

Build

All steel pop-out wall bracket with integrated PC for easy installation & service acces

System

43 - 85" HD Commercial Grade LED with 16 or 24/7/365 operating warranty

Digital Engine/PC Win 10

LAN, WIFI & 4G connectivity options

Sprocket GOLive or GOConnect Software

Built to Order options

Anodised aluminium screen trim

Custom GO screen design

Dimensions

|		
W x H x D mm	S43.RP	558 x 968 x 48 mm
W x H x D mm	S50.RP	644 x 1121 x 46 mm
W x H x D mm	S55.RP	708 x 1235 x 46 mm
W x H x D mm	S65.RP	831 x 1454 x 47 mm
W x H x D mm	S75.RP	960 x 1681 x 49 mm
W x H x D mm	S85.RP	1081 x 1989 x 57 mm

S
Series

43-85"

Recessed Landscape

43" 55" 75"

Streamline Series Overview

Our Recessed Series is built to sit flush within the wall, framed by the architecture around it. Mounted on a custom pop-out bracket for easy access and service, it's clean, cable-free and perfectly integrated into its surroundings.

The SRL range features the very best commercial grade LED screens with guaranteed 16 or 24/7/365 days operating warranty.

Coupled with Sprocket's GOLive & GOConnect software the SRL range provides a highly visible and professional business directory for any building.

Recommended for

Any building requiring a high quality tenant directory at an affordable price.

Technical Specifications & Options

Build

All steel pop-out wall bracket with integrated PC for easy installation & service acces

System

43 - 85" HD Commercial Grade LED with 16 or 24/7/365 operating warranty

Digital Engine/PC Win 10

LAN, WIFI & 4G connectivity options

Sprocket GOLive or GOConnect Software

Built to Order options

Anodised aluminium screen trim

Custom GO screen design

Dimensions

W x H x D mm	S43.RL	558 x 968 x 48 mm
W x H x D mm	S50.RL	644 x 1121 x 46 mm
W x H x D mm	S55.RL	708 x 1235 x 46 mm
W x H x D mm	S65.RL	831 x 1454 x 47 mm
W x H x D mm	S75.RL	960 x 1681 x 49 mm
W x H x D mm	S85.RL	1081 x 1989 x 57 mm

S
Series

24-85"

Multi Screen Portrait

Streamline Series Overview

A widescreen digital canvas designed to show everything at a glance, our Multi Screen models are perfect for extensive tenant lists or where you need to show every tenant at once – no scrolling, no delay.

Featuring the very best commercial grade LED screens with guaranteed 16 or 24/7/365 days operating warranty the S Series can be flush or recessed mounted.

Optional features include an easy access pop-out wall mount bracket and aluminium side trims.

Coupled with Sprocket's GOLive & GOConnect software the SMP range provides a highly visible and professional business directory for any building.

Recommended for

Any building requiring a high quality tenant directory at an affordable price.

Technical Specifications & Options

Build

All steel secure wall bracket with integrated PC for easy installation & service acces

System

24 - 85" HD Commercial Grade LED with 16 or 24/7/365 operating warranty

Digital Engine/PC Win 10

LAN, WIFI & 4G connectivity options

Sprocket GOLive or GOConnect Software

Built to Order options

Easy-access pop-out wall bracket

Anodised aluminium screen trim

Custom GO screen design

Dimensions

W x H x D mm	S24.MP	335 x 548 x 32 mm
W x H x D mm	S43.MP	558 x 968 x 48 mm
W x H x D mm	S50.MP	644 x 1121 x 46 mm
W x H x D mm	S55.MP	708 x 1235 x 46 mm
W x H x D mm	S65.MP	831 x 1454 x 47 mm
W x H x D mm	S75.MP	960 x 1681 x 49 mm
W x H x D mm	S85.MP	1081 x 1989 x 57 mm

S

Series

24-85"

Multi Screen Landscape

55"	55"	55"

Streamline Series Overview

A widescreen digital canvas designed to show everything at a glance, our Multi Screen models are perfect for extensive tenant lists or where you need to show every tenant at once – no scrolling, no delay.

Featuring the very best commercial grade LED screens with guaranteed 16 or 24/7/365 days operating warranty the S Series can be flush or recessed mounted.

Optional features include an easy access pop-out wall mount bracket and aluminium side trims.

Coupled with Sprocket's GOLive & GOConnect software the SML range provides a highly visible and professional business directory for any building.

Recommended for

Any building requiring a high quality tenant directory at an affordable price.

Technical Specifications & Options

Build

All steel secure wall bracket with integrated PC for easy installation & service acces

System

24 - 85" HD Commercial Grade LED with 16 or 24/7/365 operating warranty

Digital Engine/PC Win 10

LAN, WIFI & 4G connectivity options

Sprocket GOLive or GOConnect Software

Built to Order options

Easy-access pop-out wall bracket

Anodised aluminium screen trim

Custom GO screen design

#### Dimensions

W x H x D mm	S24.ML	335 x 548 x 32 mm
W x H x D mm	S43.ML	558 x 968 x 48 mm
W x H x D mm	S50.ML	644 x 1121 x 46 mm
W x H x D mm	S55.ML	708 x 1235 x 46 mm
W x H x D mm	S65.ML	831 x 1454 x 47 mm
W x H x D mm	S75.ML	960 x 1681 x 49 mm
W x H x D mm	S85.ML	1081 x 1989 x 57 mm

Series

24-85"

Integrated Series

Overview

The Integrated Series applies feature finishes or graphic branded directory solutions to create digital directories that sit seamlessly within surrounding architectural elements.

Featuring the very best commercial grade LED screens with guaranteed 16 or 24/7/365 days operating warranty the I Series can be flush or recessed mounted.

Coupled with Sprocket's GOLive & GOConnect software the Integrated range provides a highly visible and professional business directory for any building.

Recommended for

Any building requiring a high quality tenant directory at an affordable price.

Technical Specifications & Options

System

24 - 85" HD Commercial Grade LED with 16 or 24/7/365 operating warranty
Digital Engine/PC Win 10
LAN, WIFI & 4G connectivity options

Software

Sprocket GOLive or GOConnect

Built to Order options

Easy-access pop-out wall bracket
Anodised aluminium screen trim
Custom GO screen design

Dimensions

|		
W x H x D mm	I24.P/L	335 x 548 x 32 mm
W x H x D mm	I43.P/L	558 x 968 x 48 mm
W x H x D mm	I50.P/L	644 x 1121 x 46 mm
W x H x D mm	I55.P/L	708 x 1235 x 46 mm
W x H x D mm	I65.P/L	831 x 1454 x 47 mm
W x H x D mm	I75.P/L	960 x 1681 x 49 mm
W x H x D mm	I85.P/L	1081 x 1989 x 57 mm

43" 55" 75"

Featured: I50.P

C
Series

24-85"

Custom Series

Overview

The Custom Series represents directories designed to order & to match unique interior, material and signage specifications.

Optional features include Sprocket's exclusive aluminium screen trim in black or natural anodised finishes and the all new easy access pop-out wall mount bracket.

Featuring the very best commercial grade LED screens with guaranteed 16 or 24/7/365 days operating warranty the C Series can be flush or recessed mounted.

Coupled with Sprocket's GOLive & GOConnect software the Custom range provides a highly visible and professional business directory for any building.

Recommended for

Any building requiring a high quality tenant directory at an affordable price.

43"   55"   75"

Technical Specifications & Options

System

24 - 85" HD Commercial Grade LED with 16 or 24/7/365 operating warranty

Digital Engine/PC Win 10

LAN, WIFI & 4G connectivity options

Software

Sprocket GOLive or GOConnect

Built to Order options

Easy-access pop-out wall bracket

Anodised aluminium screen trim

Custom GO screen design

Dimensions

W x H x D mm	C24.P/L	335 x 548 x 32 mm
W x H x D mm	C43.P/L	558 x 968 x 48 mm
W x H x D mm	C50.P/L	644 x 1121 x 46 mm
W x H x D mm	C55.P/L	708 x 1235 x 46 mm
W x H x D mm	C65.P/L	831 x 1454 x 47 mm
W x H x D mm	C75.P/L	960 x 1681 x 49 mm
W x H x D mm	C85.P/L	1081 x 1989 x 57 mm

Featured: C65.FP

555

555 LONSDALE STREET

LONSDALE

Hardware Features

|	S Series	A Series	I Series	M Series	C Series
	Streamline	Architect	Integrated	Multi Screen	Custom
	Surface or recess smart mount directory screens finished with optional lightweight trim surrounds.	Elegant & secure freestanding & wall mounted directory systems available in different materials & finish packs.	Feature finish or graphic branded directory solution that uses a modular rail mounting system for fast installation.	Video wall style installation of tiled directory screens with micro screen border.	Directories designed to order & to match unique interior, material and signage specifications.
Investment	$	$$$$	$$$	$$	$$$$$
Recommended for	Flexible and cost effective solutions multiple screen & size option	Freestanding and secure building entrances & foyers	Full integration into foyer spaces, building entrances & foyers	Large tenant lists, attended spaces & reception areas	Bespoke design to suit customer requirements
Screen Sizes	24 to 85"	55" and 65"	24 to 85"	24 to 85"	24 to 85"
Screen Orientation	Portrait or landscape	Portrait	Portrait	Portrait or landscape arrays	Portrait or landscape
Colour & Finish Options	Trim only	Yes	Yes	Trim only	Yes
Installation Type	Professional or DIY option	Professional	Professional	Professional	Professional
Power Requirements	Double 10A x 240V Wall socket outlet (GPO)	Single 10A x 240V terminated power outlet	Single 10A x 240V Wall socket outlet (GPO)	2 x Double 10A x 240V Wall socket outlet (GPO)	Double 10A x 240V Wall socket outlet (GPO)
Networking Options	LAN, WIFI or 4G connectivity	LAN, WIFI or 4G connectivity	LAN, WIFI or 4G connectivity	LAN, WIFI or 4G connectivity	LAN, WIFI or 4G connectivity
Hardware Warranty	3 years	3 years	3 years	3 years	3 years
Software Options	GO Connect or GO Live	GO Connect or GO LIve	GO Connect or GO Live	GO Connect or GO Live	GO Connect or GO Live

Software
Features

go.
live

Every tenant name change or room location updated remotely, instantly and at a fraction of the cost of old school systems...

How it works...

1. Your GO Live subscription consists of 2 parts; screens that display your tenant information to the public and an online editor to edit and manage the content.

2. Once your subscription is activated, the online GO editor can be used to update the on-screen content from any browser worldwide. Edits can be previewed on demand and saved to the GO cloud server 24/7.

3. Back at site, as soon as your GO directory detects an internet connection, your changes are updated automatically in seconds.

Software
Features

go.
connect

Don't have an internet connection available at site? ...with GO Connect you simply use your smartphone to create an internet hotspot instead!

How it works…

1. Your GO Connect subscription consists of 2 parts; screens that display your directory information to the public and an online editor that is used to manage the content.

2. Once your subscription is activated, the online GO editor can be used to update the on-screen content, from any browser worldwide. Edits can be previewed on demand and saved to the GO cloud server 24/7.

3. Back at site, as soon as your GO directory detects an internet connection from your smartphone, your changes are updated automatically in seconds.